

*Figure references for Chapter 2*

- Anderson, A. C., and Peterson, R. E. (1970). "Selection of a thermal bonding agent for temperatures below 1 K," *Cryogenics* **10**, 430.
- Ashworth, T., Loomer, J. E., and Kreitman, M. M. (1973). "Thermal conductivity of Nylon™ and Apiezon™ greases," *Adv. Cryog. Eng.* **18**, 271.
- Barnes, L. J., and Dillinger, J. R. (1966). "Thermal resistivity at Pb–Cu and Sn–Cu interfaces between 1.3 and 3.1 K," *Phys. Rev.* **141**, 615.
- Berman, R., and Mate, C. F. (1958). "Thermal contact at low temperatures," *Nature* **182**, 1661.
- Boberg, J. E. (1964). "Storage of cryogenic fluids for long duration spacecraft missions," p. 21 in Progress Report 17410. Lockheed Corp., California.
- Breen, B. P., and Westwater, J. W. (1962). "Effects of diameter of horizontal tubes in film-boiling heat transfer," *Chem. Eng. Prog.* **58**, 67.
- Challis, L. J., and Cheeke, J. D. N. (1964). "Thermal conduction across cooper–lead–copper sandwiches at helium temperatures," *Proc. Phys. Soc. (London)* **83**, 109.
- Colwell, J. H. (1969). "The performance of a mechanical heat switch at low temperatures," *Rev. Sci. Instrum.* **40**, 1182, and the references cited therein.
- Cryogenic Materials Properties Program Compact Disk (2001). Release B-01, Cryogenic Information Center, 5445 Conestoga Ct., Ste. 2C, Boulder, CO 80301-2724, Ph. (303) 442-0425, Fax (303) 443-1821.

- Gmelin, E. (1967). "A cryostat for measuring heat capacities from 1.2 to 300 K and measurements of the specific heat of magnesium oxide below 36 K," *Cryogenics* **7**, 225.
- Goodall, D. H. J. (1970). Wall data chart, A.P.T. Division, Culham Science Center, Abingdon, Oxfordshire.
- Johnson, V. (1960). *A Compendium of the Properties of Materials at Low Temperature, Part I, Properties of Fluids; Part II, Properties of Solids*, WADD Technical Report 60-56. National Bureau of Standards, Wright Air Development Division.
- Karagounis, A. (1956), "Heat transfer coefficient for liquid helium" (in French), *Bull. Inst. Intern. Froid.*, Annexe 2, pp. 195–199.
- Kreith, F., and Bohn, M. S. (2001). *Principles of Heat Transfer*, 6th edition, Brooks/Cole, Pacific Grove, California.
- Kutateladze, S. S. (1952). "Statistical science and technical publications of literature on machinery," Atomic Energy Commission Translation 3770, Technical Information Services, Oak Ridge, Tennessee.
- Lienhard, J. H., and Wong, P. T. Y. (1964). The dominant unstable wave-length and minimum heat flux during film boiling on a horizontal cylinder," *J. Heat Transfer, Trans. ASME, Sec. C*, **86**, 220–226.
- Little, Arthur D., Inc. (1963). Report 65008-00-03, p. 36, Boston Massachusetts.
- Lockheed Missiles & Space Co., Inc. (1964). Thermophysics Laboratory, unpublished data, Lockheed-Martin Corp., Sunnyvale, California.
- Loechtermann, E. (1963). *Cryogenics* **3**, 44.

- Marquardt, E. (2002). National Institute of Standards and Technology, Boulder, Colorado, personal communication.
- McAdams, W. H. (1954). *Heat Transmission*, 3rd edition, McGraw–Hill.
- McTaggart, J. H., and Slack, G. A. (1969). “Thermal conductivity of General Electric No. 7031 Varnish,” *Cryogenics* **90**, 384.
- Nast, T. (2000). “Thermal performance of MLI systems, from tank calorimeter testing,” in *Cryogenic Techniques for Applied Superconductivity*, Tutorial Short Course. Applied Superconductivity Conference 2000; Lockheed–Martin, Palo Alto, California, unpublished.
- Radebaugh, R. (1977). “Thermal conductance of indium solder joints at low temperatures,” *Rev. Sci. Instrum.* **48**, 93–94.
- Radebaugh, R., Siegwarth, J. D., Lawless, W. N., and Morrow, A. J. (1977). *Electrocaloric Refrigeration for Superconductors*, NBSIR 76-847, National Institute of Standards and Technology, U.S. Government Printing Office, Washington, D.C.
- Radebaugh, R., Bradley, P. E., Marquardt, E, Lewis, M. A., and Siegwarth, J. D. (2001). Materials Properties, <http://www.cryogenics.nist.gov/> , based principally on compilations by Battelle (1977); see also Childs et al. (1973), Johnson (1960), Mann (1978), Schramm et al. (1973), Simon et al. (1992), and Touloukian (1970).
- Richards, R. J., Steward, W. G., and Jacobs, R. B. (1961). *A Survey of the Literature on Heat Transfer from Solid Surfaces to Cryogenic Fluids*, Technical Note 122. National Bureau of Standards Technical Note, U.S.

Government Printing Office, Washington, D.C.

Sauer, H. J., Jr., Remington, C. R., Stewart, W. E., Jr., and Lin, J. T. (1971a).

“Thermal contact conductance with several interstitial materials,”

*Proceedings XI International Thermal Conductivity Conference*, p. 22,

Albuquerque, New Mexico.

Sauer, H. J., Jr., Remington, C. R., and Heizer, G. A. (1971b). “Thermal contact

conductance of lubricant films,” *Proceedings XI International Thermal*

*Conductivity Conference*, p. 24, Albuquerque, New Mexico.

Steyert, W. A. (1967). “Thermal transport across superconducting solder joints

near 0.1 K,” *Rev. Sci. Instrum.* **38**, 964.

Touloukian, Y. S., Hawkins, G. A., and Jakob, M. (1948). “Heat transfer by free

convection from heated vertical surfaces to liquids,” *Trans. Amer. Soc.*

*Mech. Eng.* **70**, 13–18.

Touloukian, Y. S. (1970–1977). *Thermophysical Properties of Matter, The*

*Thermophysical Properties Research Center Data Series*. Plenum Press,

New York.

White, G. K., and Meeson, P. J. (2002). *Experimental Techniques in Low-*

*Temperature Physics*, 4th edition. Oxford University Press, Oxford, UK.

Yovanovich, M. M. (1970). “A correlation of the minimum thermal resistance at

soldered joints,” *J. Spacecraft* **7**, 1013.

Yovanovich, M. M., and Tuarze, M. (1969). “Experimental evidence of thermal

resistance at soldered joints,” *J. Spacecraft* **6**, 855.

Zuber, N. and Tribus, M. (1958). "Further remarks on the stability of boiling heat transfer," Report 58-5, Department of Engineering, University of California, Los Angeles.